
Accelerator Simulations Cluster

Jim Simone, Amitoj Singh

High Performance & Parallel Computing
Computing Division

Brief history of past & present clusters



CPA Cluster

19 nodes
2 cores / node
Xeon 3.2GHz
2GB memory/
core
Infiniband 10
Gbps

RFSIMS Cluster

20 nodes
4 cores / node
Xeon 2.3GHz
4GB memory/
core
Ethernet 1Gbps

Wilson Cluster

24 nodes
12 cores / node
Xeon 2.67GHz
1GB memory/core
Infiniband 10
Gbps



The Wilson cluster

- Joint acquisition by CD, CPA (AMR) and TD (SRFD) groups at a total cost of \$90k.
- An oversight committee consisting of members from each stakeholder group ensures the proper and efficient use of cluster resources. Committee members include:
 - CD Jim Amundson (chair)
 - APCAlex Valishev
 - TD Andrei Lunin
- CD's HPPC department is in charge of the daily (5 days,8 by 5) administration and maintenance of the cluster.
- More information on the cluster is available @ http:// tev.fnal.gov

Wilson cluster details

Hardware

- Total 24 nodes (288 cores) deliver
 2.3 TFlop/s on the Top500
 benchmark
- 2-socket, 6-core Intel Xeon Westmere
 2.67 GHz (12 cores per node)
- 12GB DDR3 memory per node
- 2 Gigabit Ethernet controllers
- 1 SDR (10 Gbps) Infiniband HCA





Major applications run on our clusters

<u>Analyst</u> - Parallel FEM-EM (Finite Element Method-Electro Magnetic) solver.

ANSYS HPC – Multi physics parallel processing.

GAMESS - General Atomic and Molecular Electronic

Structure System for a wide range of quantum chemical computations

<u>GdfidL</u> – Electromagnetic field simulator computes electromagnetic fields in 3D-structures.

<u>Synergia</u> – Accelerator physics modeling framework. <u>VASP</u> – Vienna Ab-initio Simulation Package for performing ab-initio quantum-mechanical molecular dynamics using pseudo potentials and a plane wave basis

Software & Batch Queue System

OS:

SLF 5.5

Compilers:

gcc

OpenMPI

Infiniband:

OFED

Programming:

Python


R

Ruby

3 batch queues for **default**, **low** and **high** priority jobs. Users required to provide a project name to submit jobs. Cluster usage available by project and user.



Accelerator Simulations on the Wilson Cluster




- Nonlinear single particle optics accounts for higher order multipoles and fringe fields
- Collective effects
 space charge and impedance solvers rely on infiniband network for multiprocessor calculations
 E. Stern

Main Injector Space Charge for Project-X

The Main Injector will be the workhorse of the Project-X high energy high-intensity physics program

Tune footprint, 2000 turns current



MINOS and Nova neutrinos to Soudan mine and Ash River (MN)




Even with current conditions, space charge spreads the tune footprint over a large area. Increased intensities will require corrective actions which will need to be simulated.


Space Charge in Resonant Extraction for Mu2e

The proposed Mu2e experiment plans a slow resonant extraction of a beam with $3x10^{12}$ protons from the debuncher ring. Space charge significantly effects the extraction procedure.

Phase space of particles through extraction



Simulation of particles extracted



Space charge effects force reworking the magnet ramp profile E. Stern